

Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

Product name ANSULITE 3% (AFC-3A) AFFF Concentrate

1. Identification

1.1. Product Identifier

Product name ANSULITE 3% (AFC-3A) AFFF Concentrate

1.2. Other means of identification

Product code 431499 Synonyms None

Chemical Family No information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Fire extinguishing agent

Uses advised against Consumer use

1.4. Details of the Supplier of the Safety Data Sheet

Company Name Tyco Fire Protection Products

One Stanton Street Marinette, WI 54143-2542 Telephone: 715-735-7411

Contact point Product Stewardship at 1-715-735-7411

E-mail address psra@tycofp.com

1.5. Emergency Telephone Number

Emergency telephone CHEMTREC 800-424-9300 or 703-527-3887

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.2. Label Elements

The product contains no substances which at their given concentration, are considered to be hazardous to health

Precautionary Statements

2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

2.4. OTHER INFORMATION

Unknown Acute Toxicity 4.824% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients



Product name ANSULITE 3% / (AFC-3A) AFFF Concentrate

PAGE 2/8

3.1. Mixture

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No	weight-%
2-(2-Butoxyethoxy)ethanol	112-34-5	5 - 10
Lauryl Imino Propionate, Sodium Salt	14960-06-6	1 - 5

4. First aid measures

4.1. Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately

if symptoms occur.).

Ingestion Rinse mouth. Do not induce vomiting without medical advice. If swallowed, call a poison

control center or physician immediately.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

5. Fire-fighting measures

5.1. Suitable Extinguishing Media

Product is extinguishing agent. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Unsuitable Extinguishing Media

None.

5.3. Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion

Carbon oxides, Fluorinated oxides, Nitrogen oxides (NOx), Oxides of sulfur

Products

5.4. Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.5. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



Product code 431499 / Product name ANSULITE 3% / (AFC-3A) AFFF Concentrate

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation, especially in confined areas.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

7. Handling and Storage

7.1. Precautions for Safe Handling

Advice on safe handling Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and

safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure Controls/Personal Protection

8.1. Control Parameters

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-(2-Butoxyethoxy)ethanol	TWA: 10 ppm inhalable fraction	-	-
112-34-5	and vapor		

ACGIH (American Conference of Governmental Industrial Hygienists) OSHA (Occupational Safety and Health Administration of the US Department of Labor) NIOSH IDLH Immediately Dangerous to Life or Health

8.2. Appropriate Engineering Controls

Engineering controls Showers

Eyewash stations Ventilation systems.

8.3. Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing.

PAGE 3/8



Product name ANSULITE 3% / (AFC-3A) AFFF Concentrate

PAGE 4/8

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

VentilationUse local exhaust or general dilution ventilation to control exposure with applicable limits

8.4. General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

/

Physical State Liquid

Odor Characteristic Color Light yellow odor threshold No data available

Property VALUES Remarks • Method

pH 7.5

Melting point/freezing pointNo data availableBoiling point / boiling range> 100 °C / 212 °FFlash Point> 100 °C / > 212 °FEvaporation RateNo data availableflammability (solid, gas)No data available

Flammability limit in air

Upper flammability limit: No data available Lower flammability limit: No data available **Vapor Pressure** No data available Vapor Density No data available Specific gravity No data available Water Solubility No data available Solubility in Other Solvents No data available Partition coefficient No data available No data available **Autoignition Temperature Decomposition Temperature** No data available Kinematic viscosity 2.9 mm2/s

density 1.03

10. Stability and Reactivity

10.1. Chemical Stability

Stable under recommended storage conditions.

10.2. Reactivity

No data available

10.3. Possibility of hazardous reactions

None under normal processing.



Product name ANSULITE 3% / (AFC-3A) AFFF Concentrate

PAGE 5/8

hazardous polymerization

Hazardous polymerization does not occur.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur. Fluorinated oxides.

11. Toxicological Information

11.1. Information on Likely Routes of Exposure

Product information no data available

INHALATION no data available.

Eye Contact no data available.

Skin contact no data available.

INGESTION no data available.

Acute Toxicity

_C50	Inhalation LC50	dermal LD50	Oral LD50	Chemical name
	-	= 2700 mg/kg (Rabbit)	= 3384 mg/kg (Rat)	2-(2-Butoxyethoxy)ethanol
	-	= 2700 mg/kg (Rabbit)	= 3384 mg/kg (Rat)	2-(2-Butoxyethoxy)ethanol 112-34-5

11.2. Information on Toxicological Effects

Symptoms No information available.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitization

Germ Cell Mutagenicity
carcinogenicity
Reproductive Toxicity
STOT - Single Exposure
STOT - Repeated Exposure
Aspiration Hazard

No information available.

11.4. Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

12. Ecological Information

12.1. ecotoxicity

Not classified



Product name ANSULITE 3% / (AFC-3A) AFFF Concentrate

PAGE 6/8

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-(2-Butoxyethoxy)ethanol	EC50 96 h > 100 mg/L	LC50 96 h = 1300 mg/L Lepomis	EC50 24 h = 2850 mg/L Daphnia
112-34-5	Desmodesmus subspicatus	macrochirus static	magna EC50 48 h > 100 mg/L
			Daphnia magna
2-Methyl-2,4-pentanediol	-	LC50 96 h 10500 - 11000 mg/L	EC50 48 h 2700 - 3700 mg/L
107-41-5		Pimephales promelas flow-through	Daphnia magna
		LC50 96 h = 10000 mg/L Lepomis	
		macrochirus static LC50 96 h =	
		8690 mg/L Pimephales promelas	
		flow-through LC50 96 h = 10700	
		mg/L Pimephales promelas static	
t-Butanol	EC50 72 h > 1000 mg/L	LC50 96 h 6130 - 6700 mg/L	EC50 48 h = 933 mg/L Daphnia
75-65-0	Desmodesmus subspicatus	Pimephales promelas flow-through	magna EC50 48 h 4607 - 6577
			mg/L Daphnia magna Static
Sodium chloride	-	LC50 96 h 5560 - 6080 mg/L	EC50 48 h = 1000 mg/L Daphnia
7647-14-5		Lepomis macrochirus flow-through	magna EC50 48 h 340.7 - 469.2
		LC50 96 h = 12946 mg/L Lepomis	mg/L Daphnia magna Static
		macrochirus static LC50 96 h 6020	
		- 7070 mg/L Pimephales promelas	
		static LC50 96 h = 7050 mg/L	
		Pimephales promelas semi-static	
		LC50 96 h 6420 - 6700 mg/L	
		Pimephales promelas static LC50	
		96 h 4747 - 7824 mg/L	
		Oncorhynchus mykiss flow-through	
Polyethylene Glycol	-	LC50 24 h > 5000 mg/L Carassius	-
25322-68-3		auratus	
Formaldehyde	-	LC50 96 h 22.6 - 25.7 mg/L	LC50 48 h = 2 mg/L Daphnia
50-00-0		Pimephales promelas flow-through	magna EC50 48 h 11.3 - 18 mg/L
		LC50 96 h = 1510 µg/L Lepomis	Daphnia magna Static
		macrochirus static LC50 96 h = 41	
		mg/L Brachydanio rerio static LC50	
		96 h 0.032 - 0.226 mL/L	
		Oncorhynchus mykiss flow-through	
		LC50 96 h 100 - 136 mg/L	
		Oncorhynchus mykiss static LC50	
		96 h 23.2 - 29.7 mg/L Pimephales	
		promelas static	

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulation

No information available.

12.4. Other Adverse Effects

No information available

13. Disposal Considerations

13.1. Waste Treatment Methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.



Product name ANSULITE 3% / (AFC-3A) AFFF Concentrate

PAGE 7/8

Contaminated Packaging Do not reuse container.

/

14. Transport Information

DOT NOT REGULATED

TDG NOT REGULATED

MEX NOT REGULATED

ICAO (air) NOT REGULATED

IATA NOT REGULATED

IMDG NOT REGULATED

15. Regulatory Information

15.1. International Inventories

TSCA Complies DSL/NDSL Complies

ENCS Does not comply
IECSC Does not comply
KECL Does not comply
PICCS Does not comply
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
2-(2-Butoxyethoxy)ethanol - 112-34-5	1.0
SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic health hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No



Product name ANSULITE 3% / (AFC-3A) AFFF Concentrate

PAGE 8/8

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

15.3. US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Formaldehyde - 50-00-0	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-(2-Butoxyethoxy)ethanol	X	-	X
112-34-5			
t-Butanol	X	X	X
75-65-0			
Formaldehyde	X	X	X
50-00-0			

16. Other information, including date of preparation of the last revision

NFPA Health Hazards 0 flammability 1 Instability 0 Physical and chemical properties -

HMIS Health Hazards 0 flammability 1 Physical Hazards 0 Personal Protection X

Revision date 25-May-2015

Revision note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet